

■ 마약류 관리에 관한 법률 시행령 [별표 1] <개정 2021. 12. 14.>




■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 1] <Revised on December 14, 2021>

법 제2조제2호라목에 해당하는 마약(제2조제1항 관련)




Narcotics corresponding to the subparagraph (b) of Article 2, paragraph (1) of the Act

법 제2조제2호라목에 해당하는 마약은 다음의 것과 그 염류로 한다.

The narcotics corresponding to the subparagraph 2 of Article 2 of the law refer to the following substances and their derivatives.

구 분	품명(Name)	화학명 또는 구조식 (Chemical Name or Structural Formula)				
1	아세토르핀(Acetorphine)	(5a,7a)-7-[(2R)-2-hydroxy-2-pentanyl]-6-methoxy-17-methyl-4,5-epoxy-6,14-ethenomorphinan-3-yl acetate				
2	벤질모르핀(Benzylmorphine)	(5a,6a)-3-(benzyloxy)-17-methyl-7,8-dihydro-4,5-epoxymorphinan-6-ol				
3	코카인(Cocaine)	methyl-(1R,2R,3S,5S)-3-(benzoyloxy)-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylate				
4	코독심(Codoxime)	((E)-[(5a,6E)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-ylidene]amino}oxy)acetic acid				
5	테소모르핀(Desomorphine)	(5a)-17-methyl-4,5-epoxymorphinan-3-ol				
6	디히드로모르핀(Dihydromorphine)	(5a,6a)-17-methyl-4,5-epoxymorphinan-3,6-diol				
7	엑고닌(Ecgonine) 및 그 유도체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 엑고닌 유도체는 제외한다.	Ecgonine: (1R,2R,3S,5S)-3-hydroxy-8-methyl-8-azabicyclo [3.2.1]octane-2-carboxylic acid 아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1: 알킬옥시^a, OH, NH2, 알킬아민^a ○ R2: 수소, 알킬기^a, 아실기^a ○ R3: 수소, 알킬기^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함 </td></tr></table>	기본구조	R		○ R1: 알킬옥시^a, OH, NH2, 알킬아민^a ○ R2: 수소, 알킬기^a, 아실기^a ○ R3: 수소, 알킬기^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함
기본구조	R					
	○ R1: 알킬옥시^a, OH, NH2, 알킬아민^a ○ R2: 수소, 알킬기^a, 아실기^a ○ R3: 수소, 알킬기^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함					
8	에토르핀(Etorphine)	(5a,6β,14β,18R)-18-[(2R)-2-hydroxy-2-pent				

		anyl]-6-methoxy-17-methyl-7,8-didehydro-18,19-dihydro-4,5-epoxy-6,14-ethenomorphinan-3-ol
9	헤로인(Heroin)	(5a,6a)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-3,6-diyl diacetate
10	히드로코돈(Hydrocodone)	(5a)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-one
11	히드로모르피놀 (Hydromorphinol)	(5a,6a)-17-methyl-4,5-epoxymorphinan-3,6,14-triol
12	히드로모르폰(Hydromorphone)	(5a)-3-hydroxy-17-methyl-4,5-epoxymorphinan-6-one
13	메틸데소르핀 (Methyldesorphine)	(5a)-6,17-dimethyl-6,7-didehydro-4,5-epoxymorphinan-3-ol
14	메틸디히드로모르핀 (Methyldihydromorphine)	(5a,6a)-6,17-dimethyl-4,5-epoxymorphinan-3,6-diol
15	메토폰(Metopon)	3-Hydroxy-5,17-dimethyl-4,5-epoxymorphinan-6-one
16	모르핀(Morphine)	(5a,6a)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-3,6-diol
17	모르핀-엔-옥사이드 (Morphine-N-Oxide)	(1S,4R,5R,13R,14S,17R)-4-methyl-12-oxa-4-azapentacyclo[9.6.1.0 ^{1,13} .0 ^{5,17} .0 ^{7,18}]octadeca-7(18),8,10,15-tetraene-10,14-diol 4-oxide
18	미로핀(Myrophine)	(5a,6a)-3-(benzyloxy)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-yl myristate
19	니코디코딘(Nicodicodine)	3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl nicotinate
20	니코모르핀(Nicomorphine)	(5a,6a)-17-methyl-7,8-didehydro-4,5-epoxymorphinan-3,6-diyl dinicotinate
21	노르모르핀(Normorphine)	(5a,6a)-7,8-didehydro-4,5-epoxymorphinan-3,6-diol
22	옥시코돈(Oxycodone)	(5a)-14-hydroxy-3-methoxy-17-methyl-4,5

		-epoxymorphinan-6-one				
23	옥시모르폰(Oxymorphone)	(5a)-3,14-dihydroxy-17-methyl-4,5-epoxymorphinan-6-one				
24	테바콘(Thebacon)	(5a)-3-methoxy-17-methyl-6,7-didehydro-4,5-epoxymorphinan-6-yl acetate				
25	테바인(Thebaine)	(5a)-3,6-dimethoxy-17-methyl-6,7,8,14-tetradehydro-4,5-epoxymorphinan				
26	아세틸디히드로코데인 (Acetyldihydrocodeine)	(5a,6a)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-yl acetate				
27	코데인(Codeine)	(5a,6a)-3-methoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-ol				
28	디히드로코데인 (Dihydrocodeine)	(5a,6a)-3-methoxy-17-methyl-4,5-epoxymorphinan-6-ol				
29	에틸모르핀(Ethylmorphine)	(5a,6a)-3-ethoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-ol				
30	니코코딘(Nicocodine)	(5a,6a)-3-methoxy-17-methyl-7,8-didehydro-4,5-epoxymorphinan-6-yl nicotinate				
31	노르코데인(Norcodeine)	(5a,6a)-3-methoxy-7,8-didehydro-4,5-epoxymorphinan-6-ol				
32	폴코딘(Pholcodine)	(5a,6a)-17-methyl-3-[2-(4-morpholinyl)ethoxy]-7,8-didehydro-4,5-epoxymorphinan-6-ol				
33	엔-옥사이드 또는 4급 암모늄 구조를 가지는 모르핀 유도체. 다만, 별표 1부터 별표 6까지, 별표 7의 2 및 별표 8에서 별도로 규정한 것은 제외한다.	아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 모르핀 유도체 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○O⁻ ○메틸 </td></tr></table>	기본구조	R		○O⁻ ○메틸
기본구조	R					
	○O⁻ ○메틸					
34	디히드로에토르핀 (Dihydroetorphine)	(5a,6β,14β,18R)-18- [(2R)-2-hydroxy-2-pentanyl]-6-methoxy-17-methyl-18,19-dihydro-4,5-epoxy-6,14-ethenomorphinan-3-ol				
35	오리파빈(Oripavine)	6,7,8,14-Tetradehydro-4,5a-epoxy-6-methoxy-				

	17-methylmorphinan-3-ol
--	-------------------------

■ 마약류 관리에 관한 법률 시행령 [별표 2] <개정 2022. 12. 9.>

■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 2] <Revised on December 9, 2022>

법 제2조제2호마목에 해당하는 마약(제2조제2항 관련)

Narcotics corresponding to the subparagraph (b) of Article 2, paragraph (2) of the Act

법 제2조제2호마목에 해당하는 마약은 다음의 것과 그 염류로 한다.

The narcotics corresponding to the subparagraph 2 of Article 2 of the law refer to the following substances and their derivatives.

구분	품명(Name)	화학명 또는 구조식 (Chemical Name or Structural Formula)
1	아세틸메타돌(Acetylmethadol)	6-(dimethylamino)-4,4-diphenyl-3-heptanyl acetate
2	알릴프로딘(Allylprodine)	3-allyl-1-methyl-4-phenyl-4-piperidiny propionate
3	알파세틸메타돌 (Alphacetylmethadol)	(3R,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanyl acetate
4	알파메프로딘(Alphameprodine)	(3R,4S)-3-ethyl-1-methyl-4-phenyl-4-piperidiny propionate
5	알파메타돌(Alphamethadol)	(3R,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanol
6	알파프로딘(Alphaprodine)	(3R,4S)-1,3-dimethyl-4-phenyl-4-piperidiny propionate
7	아닐레리딘(Anileridine)	ethyl 1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidine-4-carboxylate
8	벤제티딘(Benzethidine)	ethyl 1-[2-(benzyloxy)ethyl]-4-phenyl-4-piperidinecarboxylate
9	베타세틸메타돌 (Betacetylmethadol)	(3S,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanyl acetate
10	베타메프로딘(Betameprodine)	(3R,4R)-3-ethyl-1-methyl-4-phenyl-4-piperidiny propionate
11	베타메타돌(Betamethadol)	(3S,6R)-6-(dimethylamino)-4,4-diphenyl-3-heptanol
12	베타프로딘(Betaprodine)	(3R,4R)-1,3-dimethyl-4-phenyl-4-piperidiny propionate
13	베지트라미드(Bezitramide)	4-[4-(2-oxo-3-propionyl-2,3-dihydro-1H-benzimidazol-1-yl)-1-piperidiny]-2,2-diphenylb




		utanenitrile
14	클로니타젠 (Clonitazene)	2-[2-(4-chlorobenzyl)-5-nitro-1H-benzimidazol-1-yl]-N,N-diethylethanamine
15	텍스트로모라미드 (Dextromoramide)	(3S)-3-methyl-4-(4-morpholinyl)-2,2-diphenyl-1-(1-pyrrolidinyl)-1-butanone
16	디아프로미드 (Diampromide)	N-{2-[methyl(2-phenylethyl)amino]propyl}-N-phenylpropanamide
17	디에틸티암부텐 (Diethylthiambutene)	N,N-diethyl-4,4-di(2-thienyl)-3-buten-2-amine
18	디메녹사돌 (Dimenoxadol)	2-(dimethylamino)ethylethoxy(diphenyl)acetate
19	디메펩타놀 (Dimepheptanol)	6-(dimethylamino)-4,4-diphenyl-3-heptanol
20	디메틸티암부텐 (Dimethylthiambutene)	N,N-dimethyl-4,4-di(2-thienyl)-3-buten-2-amine
21	디옥사페틸부티레이트 (Dioxaphetylbutyrate)	ethyl 4-(4-morpholinyl)-2,2-diphenylbutanoate
22	디페녹실레이트 (Diphenoxylate)	ethyl 1-(3-cyano-3,3-diphenylpropyl)-4-phenyl-4-piperidinecarboxylate
23	디피판논 (Dipipanone)	4,4-diphenyl-6-(1-piperidinyl)-3-heptanone
24	에틸메틸티암부텐 (Ethylmethylthiambutene)	N-ethyl-N-methyl-4,4-di(2-thienyl)-3-buten-2-amine
25	에토니타젠 (Etonitazene)	2-[2-(4-ethoxybenzyl)-5-nitro-1H-benzimidazol-1-yl]-N,N-diethylethanamine
26	에톡세리딘 (Etoxeridine)	ethyl 1-[2-(2-hydroxyethoxy)ethyl]-4-phenyl-4-piperidinecarboxylate
27	펜타닐 (Fentanyl)	N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]propanamide
28	푸레티딘 (Furethidine)	ethyl 4-phenyl-1-[2-(tetrahydro-2-furanyl-methoxy)ethyl]-4-piperidinecarboxylate
29	히드록시페티딘 (Hydroxypethidine)	ethyl 4-(3-hydroxyphenyl)-1-methyl-4-piperidinecarboxylate
30	이소메타돈 (Isomethadone)	6-(dimethylamino)-5-methyl-4,4-diphenyl-3-hexanone
31	케토베미돈 (Ketobemidone)	1-[4-(3-hydroxyphenyl)-1-methyl-4-piperidinyl]-4-phenyl-4-piperidinecarboxylate

		nyl]-1-propanone
32	레보메토르판(Levomethorphan)	3-methoxy-17-methylmorphinan
33	레보모라미드(Levomoramide)	(3R)-3-methyl-4-(4-morpholinyl)-2,2-diphenyl-1-(1-pyrrolidinyl)-1-butanone
34	레보페나실모르판 (Levophenacymorphan)	2-(3-hydroxymorphinan-17-yl)-1-phenylethanone
35	레보르파놀(Levorphanol)	17-methylmorphinan-3-ol
36	메타조신(Metazocine)	1,10,13-trimethyl-10-azatricyclo[7.3.1.0 ^{2,7}]trideca-2,4,6-trien-4-ol
37	메타돈(Methadone)	6-(dimethylamino)-4,4-diphenyl-3-heptanone
38	메타돈 제조중간체 (Methadone Intermediate)	4-(dimethylamino)-2,2-diphenylpentanenitrile
39	모라미드 제조중간체 (Moramide Intermediate)	3-methyl-4-(4-morpholinyl)-2,2-diphenylbutanoic acid
40	모르페리딘(Morpheridine)	ethyl 1-[2-(4-morpholinyl)ethyl]-4-phenyl-4-piperidinecarboxylate
41	노라시메타돌(Noracymethadol)	6-(methylamino)-4,4-diphenyl-3-heptanyl acetate
42	노르레보르파놀 (Norlevorphanol)	morphinan-3-ol
43	노르메타돈(Normethadone)	6-(dimethylamino)-4,4-diphenyl-3-hexanone
44	노르피파논(Norpipanone)	4,4-diphenyl-6-(1-piperidinyl)-3-hexanone
45	페티딘(Pethidine)	ethyl 1-methyl-4-phenyl-4-piperidine carboxylate
46	페티딘 제조중간체 에이 (Pethidine Intermediate A)	1-methyl-4-phenyl-4-piperidinecarbonitrile
47	페티딘 제조중간체 비 (Pethidine Intermediate B)	ethyl 4-phenyl-4-piperidinecarboxylate
48	페티딘 제조중간체 시 (Pethidine Intermediate C)	1-methyl-4-phenyl-4-piperidinecarboxylic acid
49	페나독손(Phenadoxone)	6-(4-morpholinyl)-4,4-diphenyl-3-heptanone

50	페남프로미드(Phenampromide)	N-phenyl-N-[1-(1-piperidiny)-2-propanyl]propanamide
51	페나조신(Phenazocine)	(1R,9R,13R)-1,13-dimethyl-10-(2-phenylethyl)-10-azatricyclo[7.3.1.0 ^{2,7}]trideca-2,4,6-trien-4-ol
52	페노모르판(Phenomorphane)	17-(2-phenylethyl)morphinan-3-ol
53	페노페리딘(Phenoperidine)	ethyl 1-(3-hydroxy-3-phenylpropyl)-4-phenyl-4-piperidinecarboxylate
54	피미노딘(Piminodine)	ethyl 1-(3-anilinopropyl)-4-phenyl-4-piperidinecarboxylate
55	피리트라미드(Piritramide)	1'-(3-cyano-3,3-diphenylpropyl)-1,4'-bipiperidine-4'-carboxamide
56	프로헵타진(Proheptazine)	1,3-dimethyl-4-phenyl-4-azepanyl propionate
57	프로페리딘(Properidine)	isopropyl 1-methyl-4-phenyl-4-piperidinecarboxylate
58	라세메토르판(Racemethorphan)	(9a,13a,14a)-3-methoxy-17-methylmorphinan hydrobromide hydrate
59	라세모라미드(Racemoramide)	3-methyl-4-(4-morpholinyl)-2,2-diphenyl-1-(1-pyrrolidinyl)-1-butanone
60	라세모르판(Racemorphan)	17-methylmorphinan-3-ol
61	트리메페리딘(Trimeperidine)	1,2,5-trimethyl-4-phenyl-4-piperidinyl propionate
62	프로피람(Propiram)	N-[1-(1-piperidiny)-2-propanyl]-N-(2-pyridinyl)propanamide
63	드로테바놀(Drotebanol)	3,4-dimethoxy-17-methylmorphinan-6,14-diol
64	디페녹신(Difenoxin)	1-(3-cyano-3,3-diphenylpropyl)-4-phenyl-4-piperidinecarboxylic acid
65	알펜타닐(Alfentanil)	N-{1-[2-(4-ethyl-5-oxo-4,5-dihydro-1H-tetrazol-1-yl)ethyl]-4-(methoxymethyl)-4-piperidinyl}-N-phenylpropanamide
66	틸리딘(Tilidine)	ethyl (1S,2R)-2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate

67	프로폭시펜(Propoxyphene)	4-(dimethylamino)-3-methyl-1,2-diphenyl-2-butanyl propionate
68	아세틸-알파-메틸펜타닐 (Acetyl- <i>alpha</i> -methyl- fentan yl)	N-phenyl-N-[1-(1-phenyl-2-propanyl)-4-pip eridiny]acetamide
69	알파-메틸펜타닐 (<i>Alpha</i> -methylfentanyl)	N-phenyl-N-[1-(1-phenyl-2-propanyl)-4-pip eridiny]propanamide
70	3-메틸펜타닐 (3-Methylfentanyl)	N-[3-methyl-1-(2-phenylethyl)-4-piperidiny l]-N-phenylpropanamide
71	수펜타닐(Sufentanil)	N-{4-(methoxymethyl)-1-[2-(2-thienyl)ethy l]-4-piperidiny]-N-phenylpropanamide
72	피이피에이피(PEPAP)	4-phenyl-1-(2-phenylethyl)-4-piperidiny] ace tate
73	엠피피피(MPPP)	1-(4-methylphenyl)-2-(1-pyrrolidiny)-1-pro panone
74	레미펜타닐(Remifentanil)	methyl 1-(3-methoxy-3-oxopropyl)- 4-[phen yl(propionyl)amino]-4-piperidinecarboxylate
75	타펜타돌(Tapentadol)	3-[(2R,3R)-1-(dimethylamino)-2-methyl-3-p entany]phenol
76	티오피펜타닐(Thiofentanyl)	N-phenyl-N-{1-[2-(2-thienyl)ethyl]-4-piperi diny]propanamide
77	3-메틸티오피펜타닐 (3-Methylthiofentanyl)	N-{3-methyl-1-[2-(2-thienyl)ethyl]-4-piperi diny]-N-phenylpropanamide
78	알파-메틸티오피펜타닐 (<i>Alpha</i> -methylthiofentanyl)	N-phenyl-N-{1-[1-(2-thienyl)-2-propanyl]-4 -piperidiny]propanamide
79	베타-히드록시-3메틸펜타닐 (<i>Beta</i> -hydroxy-3-methylfenta nyl)	N-[1-(2-hydroxy-2-phenylethyl)-3-methyl-4 -piperidiny]-N-phenylpropanamide
80	베타-히드록시펜타닐 (<i>Beta</i> -hydroxyfentanyl)	N-[1-(2-hydroxy-2-phenylethyl)-4-piperidin yl]-N-phenylpropanamide
81	파라-플루오로펜타닐 (<i>Para</i> -fluorofentanyl)	N-(4-fluorophenyl)-N-[1-(2-phenylethyl)-4- piperidiny]propanamide
82	아세틸펜타닐(Acetylfentanyl)	(N-(1-Phenethylpiperidin-4-yl)-N-phenylace tamide))
83	에이에이치-7921(AH-7921)	3,4-dichloro-N-((1-dimethylamino)cyclohexyl

		methyl)benzamide
84	부티르펜타닐 (Butyrfentanyl)	N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]butanamide
85	카르펜타닐(Carfentanyl)	methyl 1-(2-phenylethyl)-4-[phenyl(propionoyl)amino]piperidine-4-carboxylate
86	푸라닐펜타닐 (Furanylfentanyl)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]furan-2-carboxamide
87	옥펜타닐(Ocfentanyl)	N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide
88	아크릴펜타닐(Acrylfentanyl)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide
89	4-플루오로이소부티르펜타닐 (4-Fluoroisobutyrfentanyl, 4-FIBF)	N-(4-fluorophenyl)-2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide
90	테트라히드로푸라닐펜타닐 (Tetrahydrofuranylfentanyl, THF-F)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]oxolane-2-carboxamide
91	유크-47700(U-47700)	3,4-dichloro-N-(2-dimethylamino-cyclohexyl)-N-methyl-benzamide
92	파라플루오로부티릴펜타닐 (Parafluorobutyrylfentanyl)	N-(4-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide
93	오르토-플루오로펜타닐 (Ortho-fluorofentanyl)	N-(2-fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]propanamide
94	메톡시아세틸펜타닐 (Methoxyacetylfentanyl)	2-methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide
95	시클로프로필펜타닐 (Cyclopropylfentanyl)	N-Phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropancarboxamide
96	크로토닐펜타닐 (Crotonylfentanyl)	N-phenyl-N-1-(2-phenylethyl)-4-piperidinyl-2-butenamide
97	발레릴펜타닐 (Valerylentanyl)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]pentanamide
98	펜타닐(Fentanyl)의 유사체. 다	아래의 기본구조를 가지고, R 위치에 다음의

	만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 펜타닐의 유사체는 제외한다.	작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1: 수소, 알킬, 치환된 알킬, 아릴알킬, 치환된 아릴알킬 ※ R1 인접 질소의 경우 N-oxide를 포함한다. ○ R2: 수소, 알콕시카르보닐, 알콕시알킬, 아릴, 치환된 아릴 ○ R3: 아릴, 치환된 아릴 ○ R4: 수소, 카르보닐, 치환된 카르보닐 ○ R5: 수소, 알킬, 알케닐, 할로젠 </td></tr></table>	기본구조	R		○ R1: 수소, 알킬, 치환된 알킬, 아릴알킬, 치환된 아릴알킬 ※ R1 인접 질소의 경우 N-oxide를 포함한다. ○ R2: 수소, 알콕시카르보닐, 알콕시알킬, 아릴, 치환된 아릴 ○ R3: 아릴, 치환된 아릴 ○ R4: 수소, 카르보닐, 치환된 카르보닐 ○ R5: 수소, 알킬, 알케닐, 할로젠
기본구조	R					
	○ R1: 수소, 알킬, 치환된 알킬, 아릴알킬, 치환된 아릴알킬 ※ R1 인접 질소의 경우 N-oxide를 포함한다. ○ R2: 수소, 알콕시카르보닐, 알콕시알킬, 아릴, 치환된 아릴 ○ R3: 아릴, 치환된 아릴 ○ R4: 수소, 카르보닐, 치환된 카르보닐 ○ R5: 수소, 알킬, 알케닐, 할로젠					
99	이소토니타젠 (Isotonitazene)	N,N-diethyl-2-[2-[(4-isopropoxyphenyl)methyl]-5-nitro-benzimidazol-1-yl]ethanamine				
100	알티아이-111 (RTI-111)	methyl (1R,2S,3S,5S)-3-(3,4-dichlorophenyl)-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylate				
101	유-48800 (U-48800)	2-(2,4-dichlorophenyl)-N-[(1S,2S)-2-(dimethylamino)cyclohexyl]-N-methylacetamide				
102	브로르핀 (Brorphine)	3-{1-[1-(4-Bromophenyl)ethyl]piperidin-4-yl}-1H-benzimidazol-2-one				
103	메토니타젠 (Metonitazene)	N,N-diethyl-2-{2-[(4-methoxyphenyl)methyl]-5-nitrobenzimidazol-1-yl}ethanamine				
104	올리세리딘 (Oliceridine)	N-[(3-methoxythiophen-2-yl)methyl]-2-[(9R)-9-pyridin-2-yl-6-oxaspiro[4.5]decan-9-yl]ethanamine				

■ 마약류 관리에 관한 법률 시행령 [별표 3] <개정 2022. 12. 9.>

■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 3] <Revised on December 9, 2022>







법 제2조제3호가목에 해당하는 향정신성의약품(제2조제3항 관련)
Psychoactive drugs listed in the subparagraph (a) of Article 2, paragraph (3)

법 제2조제3호가목에 해당하는 향정신성의약품은 다음의 것과 그 염 및 이성체(異性體) 또는 이성체의 염으로 한다.








The psychotropic drugs corresponding to Article 2, Paragraph 3, Subparagraph (ga) are as follows, including their salts and isomers (including stereoisomers):







구분	품명	화학명 또는 구조식
1	디메톡시브로모암페타민	1-(4-bromo-2,5-dimethoxyphenyl)-2-p

	(Dimethoxybromoamphetamine)	ropanamine
2	2,5-디메톡시암페타민 (2,5-Dimethoxyamphetamine, 2,5-DMA)	1-(2,5-dimethoxyphenyl)-2-propanamine
3	4-메톡시암페타민 (4-Methoxyamphetamine, PMA)	1-(4-methoxyphenyl)-2-propanamine
4	5-메톡시-3,4-메틸렌디옥시암페타민 (5-Methoxy-3,4-methylenedioxyamphetamine, MMDA)	1-(7-methoxy-1,3-benzodioxol-5-yl)-2-propanamine
5	4-메틸-2,5-디메톡시암페타민 (4-Methyl-2,5-dimethoxyamphetamine, STP, DOM)	1-(2,5-dimethoxy-4-methylphenyl)-2-propanamine
6	3,4-메틸렌디옥시암페타민 (3,4-Methylenedioxyamphetamine, MDA)	1-(1,3-benzodioxol-5-yl)-2-propanamine
7	3,4,5-트리메톡시암페타민 (3,4,5-trimethoxyamphetamine, TMA)	1-(3,4,5-trimethoxyphenyl)-2-propanamine
8	부포테닌(Bufotenine)	3-[2-(dimethylamino)ethyl]-1H-indol-5-ol
9	디에틸트립타민(Diethyltryptamine, DET)	N,N-diethyl-2-(1H-indol-3-yl)ethanamine
10	디메틸트립타민(Dimethyltryptamine, DMT)	2-(1H-indol-3-yl)-N,N-dimethylethanamine
11	디메틸헵틸피란(Dimethylheptylpyran, DMHP)	6,6,9-trimethyl-3-(3-methyl-2-octanyl)-7,8,9,10-tetrahydro-6H-benzo[c]chromen-1-ol
12	엔-에틸-3-피페리딜 벤질레이트 (N-ethyl-3-piperidyl benzilate)	1-ethyl-3-piperidinyl hydroxy (diphenyl)acetate
13	이보게인(Ibogaine)	12-methoxyibogamine
14	리서직산 디에틸아마이드(Lisergic acid diethylamide, LSD, LSD-25)	(8β)-N,N-diethyl-6-methyl-9,10-didehydroergoline-8-carboxamide
15	메스칼린(Mescaline)	2-(3,4,5-trimethoxyphenyl)ethanamine

16	엔-메틸-3-피페리딜 벤질레이트 (N-methyl-3-piperidyl benzilate)	1-methyl-3-piperidiny l hydroxy(diphenyl)acetate				
17	파라헥실(Parahexyl)	3-hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6H-benzo[c]chromen-1-ol				
18	페이오토(Peyote)	<i>Lophophora williamsii</i>				
19	사일로시빈(Psilocybin)	3-[2-(dimethylamino)ethyl]-1H-indol-4-yl dihydrogen phosphate				
20	사일로신(Psilocyn)	3-[2-(dimethylamino)ethyl]-1H-indol-4-ol				
21	펜사이클리딘(Phencyclidine)의 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 펜사이클리딘의 유사체는 제외한다.	아래의 기본구조를 가지고 R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1: NH2, N-알킬아미노, N-알킬-N'-알킬아미노, 1-피롤리디닐, 1-피페리디닐, 1-아제피닐, 1-모르포리닐(고리형 작용기에는 결합 가능한 작용기가 추가 치환될 수 있다) ○ R2: 페닐, 치환된 페닐, 티에닐, 치환된 티에닐 ○ R3: 수소, 알킬(각 작용기가 2 곳 이상 도입된 것을 포함한다) ○ X: 수소, 산소 </td></tr></table>	기본구조	R		○ R1: NH2, N-알킬아미노, N-알킬-N'-알킬아미노, 1-피롤리디닐, 1-피페리디닐, 1-아제피닐, 1-모르포리닐(고리형 작용기에는 결합 가능한 작용기가 추가 치환될 수 있다) ○ R2: 페닐, 치환된 페닐, 티에닐, 치환된 티에닐 ○ R3: 수소, 알킬(각 작용기가 2 곳 이상 도입된 것을 포함한다) ○ X: 수소, 산소
기본구조	R					
	○ R1: NH2, N-알킬아미노, N-알킬-N'-알킬아미노, 1-피롤리디닐, 1-피페리디닐, 1-아제피닐, 1-모르포리닐(고리형 작용기에는 결합 가능한 작용기가 추가 치환될 수 있다) ○ R2: 페닐, 치환된 페닐, 티에닐, 치환된 티에닐 ○ R3: 수소, 알킬(각 작용기가 2 곳 이상 도입된 것을 포함한다) ○ X: 수소, 산소					
22	메스케치논(Methcathinone) 및 그 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 메스케치논 유사체 및 「약사법」 제31조·제42조에 따라 의약품으로 허가받거나 신고한 물질은 제외한다.	Methcathinone: 2-(methylamino)-1-phenyl-1-propanone e 아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1: NH2, N-알킬아미노, N-알킬-N'-알킬아미노, 1-피롤리디닐, 1-피페리디닐, 1-모르포리닐, 1-프탈리미도 ○ R2: 수소 또는 알킬^a ○ Ar: 페닐, 치환된* 페닐 또는 고리가 접합된 페닐 * 치환제: 수소, 알킬^a, 히드록시, 알콕시 및 할로젠(각 작용기가 2 곳 이상 도입된 것을 포함한다) </td></tr></table>	기본구조	R		○ R1: NH2, N-알킬아미노, N-알킬-N'-알킬아미노, 1-피롤리디닐, 1-피페리디닐, 1-모르포리닐, 1-프탈리미도 ○ R2: 수소 또는 알킬^a ○ Ar: 페닐, 치환된* 페닐 또는 고리가 접합된 페닐 * 치환제: 수소, 알킬^a, 히드록시, 알콕시 및 할로젠(각 작용기가 2 곳 이상 도입된 것을 포함한다)
기본구조	R					
	○ R1: NH2, N-알킬아미노, N-알킬-N'-알킬아미노, 1-피롤리디닐, 1-피페리디닐, 1-모르포리닐, 1-프탈리미도 ○ R2: 수소 또는 알킬^a ○ Ar: 페닐, 치환된* 페닐 또는 고리가 접합된 페닐 * 치환제: 수소, 알킬^a, 히드록시, 알콕시 및 할로젠(각 작용기가 2 곳 이상 도입된 것을 포함한다)					

		※ R에 규정된 알킬은 고리형을 포함한다. ※ a: R에 규정된 것에 결합 가능한 작용기를 포함한다.
23	에트립타민(Etryptamine)	1-(1H-indol-3-yl)-2-butanamine
24	4-메틸티오암페타민(4-Methylthioamphetamine, 4-MTA)	1-[4-(methylsulfanyl)phenyl]-2-propanamine
25	크라톱(Kratom)	Mitragyna speciosa
26	5-메톡시-다이소프로필트립타민 (5-Methoxy-diisopropyltryptamine, 5-Meo-DiPT)	N-isopropyl-N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-2-propanamine
27	5-메톡시-메틸이소프로필트립타민 (5-Methoxy-methylisopropyltryptamine, 5-MeO-MiPT)	N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-N-methyl-2-propanamine
28	5-메톡시디메틸트립타민 (5-Methoxydimethyltryptamine, 5-MeO-DMT)	2-(5-methoxy-1H-indol-3-yl)-N,N-dimethylethanamine
29	메틸이소프로필트립타민 (Methylisopropyltryptamine, MiPT)	N-[2-(1H-indol-3-yl)ethyl]-N-methyl-2-propanamine
30	5-메톡시-알파-메틸트립타민 (5-Methoxy- <i>a</i> -methyltryptamine, 5-MeO-AMT)	1-(5-methoxy-1H-indol-3-yl)-2-propanamine
31	다이소프로필트립타민 (Diisopropyltryptamine, DiPT)	N-[2-(1H-indol-3-yl)ethyl]-N-isopropyl-2-propanamine
32	4-아세톡시-다이소프로필트립타민 (4-Acetoxy-diisopropyltryptamine, 4-Acetoxy-DiPT)	3-[2-(diethylamino)ethyl]-1H-indol-4-yl acetate
33	제이더블유에이치(JWH)-018 및 그 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 제이더블유에이치-018 유사체는 제외한다.	JWH-018: 1-naphthyl(1-pentyl-1H-indol-3-yl)methanone 아래의 기본구조를 가지고, R 또는 X 위치에 다음의 작용기를 가지는 물질 기본구조 R 또는 X

		 ○ R1: (헤테로)방향족 고리^a, 테트라메틸사이클로프로필, 아다만틸, 아다만틸아민, 알킬^a(작용기가 에스테르 또는 아마이드 결합하는 것을 포함한다) ○ R2: 알킬^a ○ X: 탄소 또는 질소 ○ R3: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함				
34	제이더블유에이치-030 및 그 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 제이더블유에이치-030 유사체는 제외한다.	JWH-030: 1-naphthyl(1-pentyl-1H-pyrrol-3-yl)methanone 아래의 기본구조를 가지고, R 또는 X 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R 또는 X</th></tr><tr><td>  </td><td> ○ R1: 알킬^a ○ X: 탄소 또는 질소 ○ R2, R3: 수소 또는 알킬^a 및 방향족 고리 ※ a: R에 규정된 것에 결합 가능한 작용기를 포함 </td></tr></table>	기본구조	R 또는 X		○ R1: 알킬^a ○ X: 탄소 또는 질소 ○ R2, R3: 수소 또는 알킬^a 및 방향족 고리 ※ a: R에 규정된 것에 결합 가능한 작용기를 포함
기본구조	R 또는 X					
	○ R1: 알킬^a ○ X: 탄소 또는 질소 ○ R2, R3: 수소 또는 알킬^a 및 방향족 고리 ※ a: R에 규정된 것에 결합 가능한 작용기를 포함					
35	제이더블유에이치-175 및 그 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 제이더블유에이치-175 유사체는 제외한다.	JWH-175: 3-(1-naphthylmethyl)-1-pentyl-1H-indole 아래의 기본구조를 가지고, R 또는 X 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R 또는 X</th></tr><tr><td>  </td><td> ○ R1: 알킬^a ○ X: 탄소 또는 질소 ○ R2: 수소 또는 알킬^a ○ R3: 수소 또는 알킬^a 및 알콕시 ※ a: R에 규정된 것에 결합 가능한 작용기를 포함 </td></tr></table>	기본구조	R 또는 X		○ R1: 알킬^a ○ X: 탄소 또는 질소 ○ R2: 수소 또는 알킬^a ○ R3: 수소 또는 알킬^a 및 알콕시 ※ a: R에 규정된 것에 결합 가능한 작용기를 포함
기본구조	R 또는 X					
	○ R1: 알킬^a ○ X: 탄소 또는 질소 ○ R2: 수소 또는 알킬^a ○ R3: 수소 또는 알킬^a 및 알콕시 ※ a: R에 규정된 것에 결합 가능한 작용기를 포함					
36	제이더블유에이치-176 및 그 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 제	JWH-176: 1-[(Z)-(3-pentyl-1H-inden-1-ylidene)methyl]naphthalene				

	이더블유에이치-176 유사체는 제외한다.	아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1: 알킬^a ○ R2: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함 </td></tr></table>	기본구조	R		○ R1: 알킬^a ○ R2: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함
기본구조	R					
	○ R1: 알킬^a ○ R2: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함					
37	에이치유-210(HU-210)	9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyl-2-octanyl)-6a,7,10,10a-tetrahydro-6H-benzo[c]chromen-1-ol				
38	시피(CP)-47497 및 그 유사체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 시피-47497 유사체는 제외한다.	CP-47497: 2-[(1S,3R)-3-hydroxycyclohexyl]-5-(2-methyl-2-octanyl)phenol 아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1: 알킬^a ○ R2: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함 </td></tr></table>	기본구조	R		○ R1: 알킬^a ○ R2: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함
기본구조	R					
	○ R1: 알킬^a ○ R2: 수소 또는 알킬^a ※ a: R에 규정된 것에 결합 가능한 작용기를 포함					
39	메틸렌디옥시피로발레론 (Methylenedioxyprovalerone, MDPV)	1-(1,3-benzodioxol-5-yl)-2-(1-pyrrolidinyl)-1-pentanone				
40	4-플루오로암페타민 (4-Fluoroamphetamine, 4-FA)	1-(4-fluorophenyl)-2-propanamine				
41	4-메틸암페타민 (4-Methylamphetamine, 4-MA)	1-(4-methylphenyl)-2-propanamine				
42	엔-히드록시 메틸렌디옥시암페타민 (N-hydroxy methylenedioxy amphetamine, N-hydroxy MDA)	1-(1,3-benzodioxol-5-yl)-N-hydroxy-2-propanamine				
43	메틸렌디옥시에틸암페타민 (Methylenedioxyethylamphetamine, MDE)	1-(1,3-benzodioxol-5-yl)-N-ethyl-2-propanamine				
44	4-메틸아미노렉스 (4-Methylaminorex)	4-methyl-5-phenyl-4,5-dihydro-1,3-oxazol-2-amine				
45	5-에이피비(5-APB)	5-(2-aminopropyl)benzofuran				

46	피 엠 엠 에 이 (PMMA, para-methoxymethamphetamine)	1-(4-methoxyphenyl)-N-methyl-propa n-2-amine
47	엠 엠 디 에 이 -2(MMDA-2)	1-(6-methoxy-1,3-benzodioxol-5-yl)pr opan-2-amine
48	메 톡 세 타 민 (methoxetamine)	(RS)-2-(3-methoxyphenyl)-2-(ethylamin o)cyclohexanone
49	시 비 -13(CB-13)	Naphthalen-1-yl-(4-pentyloxynaphthal en-1-yl)methanone
50	5-메 오 -디 에 이 엘 티 (5-MeO-DALT)	N-allyl-N-[2-(5-methoxy-1H-indol-3- yl)ethyl]prop-2-en-1-amine
51	메 티 오프로 파 민 (methiopropamine)	1-(thiophen-2-yl)-2-methylaminopropa ne
52	5-에 이 피 디 비 (5-APDB)	5-(2-aminopropyl)-2,3-dihydrobenzofur an
53	파 라 -클로로 암페타민 (p-chloroamp hetamine)	1-(4-chlorophenyl)propan-2-amine
54	알 파- 피 브 이 티 (α-PVT)	2-(pyrrolidin-1-yl)-1-(thiophen-2-yl)p entan-1-one
55	알 파- 메틸 트립타민 (α-methyltrypta mine)	2-(1H-indole-3-yl)-1-methyl-ethylami ne
56	4-오에이치-디이티 (4-OH-DET)	3-(2-diethylaminoethyl)-1H-indol-4-ol
57	데스옥시-디2피엠 (Dexoxy-D2PM)	(RS)-2-(Diphenylmethyl)pyrrolidine
58	5-엠에이피비 (5-MAPB)	1-(benzofuran-5-yl)-N-methylpropan- 2-amine
59	엠디에이아이 (MDAI)	6,7-dihydro-5H-cyclopenta[f][1,3]benzo dioxol-6-amine
60	25시-엔비오엠이 (25C-NBOMe)	2-(4-chloro-2,5-dimethoxyphenyl)-N- [(2-methoxyphenyl)methyl]ethanamine
61	3-플루오로 메트 암페타민 (3-fluoromethamphetamine, 3-FM A)	1-(3-fluorophenyl)-N-methylpropan-2- amine
62	5-에이피아이	2-(1H-indol-5-yl)-1-methyl-ethylamin

	(5-API)	e
63	5-아이에이아이 (5-IAI)	5-iodo-2,3-dihydro-1H-inden-2-amine
64	디메톡시-메트암페타민 (Dimethoxy-methamphetamine, D MMA)	2-(3,4-dimethoxyphenyl)-N-methylpro pylamine
65	에틸페니데이트 (Ethylphenidate)	ethyl 2-phenyl-2-piperidin-2-ylacetate
66	엠티-45 (MT-45)	1-cyclohexyl-4-(1,2-diphenylethyl)pipe razine
67	5-엠이오-이피티 (5-MeO-EPT)	5-methoxy-N-ethyl-N-propyltryptamin e
68	디오시 (DOC)	1-(4-chloro-2,5-dimethoxy-phenyl)pro pan-2-amine
69	25아이-엔비오엠이 (25I-NBOMe)	2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2 -methoxyphenyl)methyl]ethanamine
70	2-벤즈히드릴피페리딘 (2-Benzhydrylpiperidine, 2-DPMP)	2-benzhydrylpiperidine
71	에이-836,339(A-836,339)	N-[3-(2-methoxyethyl)-4,5-dimethyl- 1,3-thiazol-2-ylidene]-2,2,3,3-tetrameth ylcyclopropane-1-carboxamide
72	파라-클로로메트암페타민 (p-Chloromethamphetamine, PCMA)	1-(4-chlorophenyl)-N-methylpropan-2 -amine
73	파라-브로모메트암페타민 (p-Bromoamphetamine, PBA)	1-(4-bromophenyl)propan-2-amine
74	25디-엔비오엠이(25D-NBOMe)	2-(2,5-dimethoxy-4-methylphenyl)-N- [(2-methoxyphenyl)methyl]ethanamin e
75	5-이에이피비(5-EAPB)	1-(benzofuran-5-yl)-N-ethylpropan-2-

		amine
76	2시-시(2C-C)	2-(4-chloro-2,5-dimethoxyphenyl) ethanamine
77	2시-피(2C-P)	2-(2,5-dimethoxy-4-(n)-propylphenyl) ethanamine
78	엔-메틸-2-에이아이 (N-Methyl-2-AI)	N-methyl-2,3-dihydro-1H-inden-2-amine
79	아르에이치-34(RH-34)	3-{2-[(2-methoxyphenyl)methylamino]ethyl}-1H-quinazoline-2,4-dione
80	엔-에틸노르케타민 (N-Ethylnorketamine)	2-(2-chlorophenyl)-2-(ethylamino)cyclohexan-1-one
81	메피라핼(Mepirapim)	(4-methylpiperazin-1-yl)-(1-pentylindol-3-yl)methanone
82	25비-엔비오엠이(25B-NBOMe)	2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
83	4,4'-디엠에이아르(4,4'-DMAR)	para-methyl-4-methylaminorex
84	25비-엔비에프(25B-NBF)	2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-fluorophenyl)methyl]ethanamine
85	25시-엔비에프(25C-NBF)	2-(4-chloro-2,5-dimethoxyphenyl)-N-[(2-fluorophenyl)methyl]ethanamine
86	25아이-엔비에프(25I-NBF)	2-(4-iodo-2,5-dimethoxyphenyl)-N-[(2-fluorophenyl)methyl]ethanamine
87	2-엠이오-디페니딘 (2-MeO-diphenidine)	1-[1-(2-methoxyphenyl)-2-phenylethyl]piperidine
88	비오디(BOD)	2-(2,5-dimethoxy-4-methylphenyl)-2-methoxyethanamine
89	에스칼린(Escaline)	2-(4-ethoxy-3,5-dimethoxyphenyl)ethanamine
90	알릴에스칼린(Allylescaline)	2-[4-(allyloxy)-3,5-dimethoxyphenyl]ethanamine
91	메트알릴에스칼린 (Methallylescaline)	2-{3,5-dimethoxy-4-[(2-methyl-2-propyl-1-yl)oxy]phenyl}ethanamine

92	25이-엔비오엠이 (25E-NBOMe)	2-(4-ethyl-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine
93	25엔-엔비오엠이 (25N-NBOMe)	2-(2,5-dimethoxy-4-nitrophenyl)-N-[(2-methoxyphenyl)methyl]ethanamine
94	25시-엔비오에이치 (25C-NBOH)	2-([2-(4-chloro-2,5-dimethoxyphenyl)ethylamino]methyl)phenol
95	25아이-엔비오에이치 (25I-NBOH)	2-([2-(4-iodo-2,5-dimethoxyphenyl)ethylamino]methyl)phenol
96	라로카인 (Larocaine)	[3-(diethylamino)-2,2-dimethylpropyl]-4-aminobenzoate
97	니트라카인 (Nitracaine)	[3-(diethylamino)-2,2-dimethylpropyl]-4-nitrobenzoate
98	플루브로마제팜 (Flubromazepam)	7-bromo-5-(2-fluorophenyl)-1,3-dihydro-1,4-benzodiazepin-2-one
99	3시-이 (3C-E)	1-(4-Ethoxy-3,5-dimethoxyphenyl)propan-2-amine
100	메트암네타민 (Methamnetamine)	N-Methyl-1-(2-naphthyl)propan-2-amine
101	티-비오시-3,4-엠디엠에이 (t-BOC-3,4-MDMA)	N-[2-(1,3-Benzodioxol-5-yl)-1-methylethyl]-N-methyl-carbamate
102	더블유아이엔-55,212-2 (WIN-55,212-2)	[(11R)-2-methyl-11-(morpholin-4-ylmethyl)-9-oxa-1-azatricyclo[6.3.1.0 ^{4,12}]dodeca-2,4(12),5,7-tetraen-3-yl]-naphthalen-1-ylmethanone
103	에이엘-엘에이디 (AL-LAD)	(6aR,9R)-N,N-diethyl-7-prop-2-enyl-6,6a,8,9-tetrahydro-4H-indolo-[4,3-fg]quinoline-9-carboxamide
104	7-히드록시미트라지닌 (7-Hydroxymitragynine)	methyl (E)-2-[(2S,3S,7aS,12bS)-3-ethyl-7a-hydroxy-8-methoxy-2,3,4,6,7,12b-hexahydro-1H-indolo[2,3-a]quinolizin-2-yl]-3-methoxyprop-2-enoate
105	미트라지닌 (Mitragynine)	methyl (E)-2-[(2S,3S,12bS)-3-ethyl-8-methoxy-1,2,3,4,6,7,12,12b-octahydroindolo[2,3-a]quinolizin-2-yl]-3-methoxyprop-2-enoate

106	3,4-디클로로메틸페니데이트 (3,4-Dichloromethylphenidate)	methyl 2-(3,4-dichlorophenyl)-2-piperidin-2-ylacetate
107	디페니딘 (Diphenidine)	1-(1,2-diphenylethyl)piperidine
108	브로모-드래곤에프엘와이 (Bromo-DragonFLY)	(2R)-1-(4-bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine
109	25에이치-엔비오엠이 (25H-NBOMe)	2-(2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine
110	더블유-15 (W-15)	4-chloro-N-(1-phenethylpiperidin-2-ylidene)benzenesulfonamide
111	더블유-18 (W-18)	4-chloro-N-[1-[2-(4-nitrophenethyl)piperidin-2-ylidene]benzenesulfonamide
112	2시-엔 (2C-N)	2-(2,5-dimethoxy-4-nitrophenyl)ethanamine
113	25비-엔비오에이치 (25B-NBOH)	2-[(4-bromo-2,5-dimethoxyphenethyl)amino]methyl}phenol
114	2시-티에프엠 (2C-TFM)	2-[2,5-dimethoxy-4-(trifluoromethyl)phenyl]ethan-1-amine
115	4-플루오로메틸페니데이트 (4-Fluoromethylphenidate)	methyl 2-(4-fluorophenyl)-2-(piperidin-2-yl)acetate
116	3시-피 (3C-P)	1-(3,5-dimethoxy-4-propoxyphenyl)propan-2-amine
117	비피카나 (BiPICANA)	N-naphthalen-1-yl-1-pentyl-N-(1-pentylindole-3-carbonyl)indole-3-carboxamide
118	오알지27569 (Org27569)	5-chloro-3-ethyl-N-[4-(piperidin-1-yl)phenethyl]-1H-indole-2-carboxamide
119	에이비-시에이치푸피카 (AB-CHFUPYCA)	N-(1-amino-3-methyl-1-oxobutan-2-yl)-2-(cyclohexylmethyl)-5-(4-fluorophenyl)pyrazole-3-carboxamide

■ 마약류 관리에 관한 법률 시행령 [별표 4] <개정 2021. 1. 5.>

■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 4] <Revised on January 5, 2021>

법 제2조제3호나목에 해당하는 향정신성의약품(제2조제3항 관련)

Psychoactive drugs listed in the subparagraph (a) of Article 2, paragraph (3)

법 제2조제3호나목에 해당하는 향정신성의약품은 다음의 것과 그 염 및 이성체 또는

이성체의 염으로 한다.

The psychotropic drugs corresponding to Article 2, Paragraph 3, Subparagraph (na) are as follows, including their salts and isomers (including stereoisomers):

구 분	품명(Name)	화학명 또는 구조식 (Chemical Name or Structural Formula)
1	암페타민(Amphetamine)	1-phenyl-2-propanamine
2	덱스암페타민(Dexamphetamine)	(2S)-1-phenyl-2-propanamine
3	레보암페타민(Levoamphetamine)	(2R)-1-phenyl-2-propanamine
4	메트암페타민(Methamphetamine)	N-methyl-1-phenyl-2-propanamine
5	히드록시암페타민(Hydroxyampheta mine)	4-(2-aminopropyl)phenol
6	메틸페니데이트(Methylphenidate)	methyl phenyl(2-piperidinyl)acetate
7	펜메트라진(Phenmetrazine)	3-methyl-2-phenylmorpholine
8	메클로쿠알론(Mecloqualone)	3-(2-chlorophenyl)-2-methyl-4(3H)-quin azolinone
9	메타쿠알론(Methaqualone)	2-methyl-3-(2-methylphenyl)-4(3H)-qui nazolinone
10	펜사이클리딘(Phencyclidine)	1-(1-phenylcyclohexyl)piperidine
11	펜프로포렉스(Fenproporex)	3-[(1-phenyl-2-propanyl)amino]propanen itrile
12	2,5-디메톡시-4-에틸-암페타민 (2,5-Dimethoxy-4-ethylamphetami ne, DOET)	1-(4-ethyl-2,5-dimethoxyphenyl)-2-prop anamine
13	3,4-메틸렌디옥시-엔-메틸암페타민 (3,4-Methylenedioxy-N-methylam phetamine, MDMA)	1-(1,3-benzodioxol-5-yl)-N-methyl-2-pr opanamine
14	페네틸린 (Fenetylline)	1,3-dimethyl-7-{2-[(1-phenyl-2-propany l)amino]ethyl}-3,7-dihydro-1H-purine-2, 6-dione
15	엔-에틸-암페타민 (N-ethylamphetamine)	N-ethyl-1-phenyl-2-propanamine
16	펜캄파민(Fencamfamine)	N-ethyl-3-phenylbicyclo[2.2.1]heptan-2- amine
17	벤즈페타민(Benzphetamine)	(2S)-N-benzyl-N-methyl-1-phenyl-2-pr opanamine

18	세코바르비탈(Secobarbital)	5-allyl-5-(2-pentanyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
19	지페프롤(Zipeprol)	1-methoxy-3-[4-(2-methoxy-2-phenylethyl)-1-piperazinyl]-1-phenyl-2-propanol
20	2시-비(2C-B)	2-(4-bromo-2,5-dimethoxyphenyl)ethanamine
21	아민엠펙틴(Amineptine)	7-(10,11-dihydro-5H-dibenzo[a,d][7]annulen-5-ylamino)heptanoic acid
22	살비아 디비노럼(Salvia Divinorum)	<i>Salvia divinorum</i>
23	살비노린 에이(Salvinorin A)	methyl (2S,4aR,6aR,7R,9S,10aS,10bR)-9-acetoxy-2-(3-furyl)-6a,10b-dimethyl-4,10-dioxododecahydro-2H-benzo[f]isochromene-7-carboxylate
24	케타민(Ketamine)	2-(2-chlorophenyl)-2-(methyldamino)cyclohexanone
25	디메틸암페타민 (Dimethylamphetamine)	N,N-dimethyl-1-phenyl-2-propanamine
26	2시-아이(2C-I)	2-(4-iodo-2,5-dimethoxyphenyl)ethanamine
27	벤질피페라진 (Benzylpiperazine)	1-benzylpiperazine
28	메타-클로로페닐피페라진 (meta-Chlorophenylpiperazine, mCPP)	1-(3-chlorophenyl)piperazine
29	트리플루오로메틸페닐피페라진 (Trifluoromethylphenylpiperazine, TFMPP)	1-[3-(trifluoromethyl)phenyl]piperazine
30	파라-메톡시페닐피페라진 (para-Methoxyphenylpiperazine, MeOPP)	1-(4-methoxyphenyl)piperazine
31	메틸렌디옥시벤질피페라진 (Methylenedioxybenzylpiperazine, MDBZP)	1-(benzo[1,3]dioxol-5-ylmethyl)piperazine

32	2시-디 (2C-D)	2-(2,5-dimethoxy-4-methylphenyl)ethanamine
33	2시-이 (2C-E)	2-(4-ethyl-2,5-dimethoxyphenyl)ethanamine
34	2시-티-2 (2C-T-2)	2-[4-(ethylsulfanyl)-2,5-dimethoxyphenyl]ethanamine
35	2시-티-7 (2C-T-7)	2-[2,5-dimethoxy-4-(propylsulfanyl)phenyl]ethanamine
36	1,3-벤조이디옥소일-엔-메틸부탄아민 (1,3-Benzodioxyl-N-methylbutanamine, MBDB)	1-(1,3-benzodioxol-5-yl)-N-methyl-2-butanamine
37	메틸렌디옥시디메틸암페타민 (Methylenedioxydimethylamphetamine, MDDMA)	(2-benzo[1,3]dioxol-5-yl-1-methyl-ethyl)-dimethylamine
38	부틸론 (Butylone, bk-MBDB)	1-(1,3-benzodioxol-5-yl)-2-(methylamino)-1-butanone
39	메틸벤질피페라진 (Methylbenzylpiperazine, MBZP)	1-benzyl-4-methylpiperazine
40	파라플루오로페닐피페라진 (p-fluorophenyl piperazine, pFPP)	1-(4-fluorophenyl)piperazine
41	틸레타민(Tiletamine)	2-(Ethylamino)-2-(2-thienyl)cyclohexanone
42	졸라제팜(Zolazepam)	4-(2-Fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo[3,4-e][1,4]diazepin-7(1H)-one
43	리스텍스암페타민 (Lisdexamphetamine)	(2S)-2,6-diamino-N-[(2S)-1-phenylpropan-2-yl]hexanamide
44	프로린탄 (Prolintane)	1-(1-Benzylbutyl)pyrrolidine

■ 마약류 관리에 관한 법률 시행령 [별표 5] <개정 2021. 12. 14.>

■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 5] <Revised on December 14, 2021>

법 제2조제3호다목에 해당하는 향정신성의약품(제2조제3항 관련)

Psychoactive drugs listed in the subparagraph (a) of Article 2, paragraph (3)




법 제2조제3호다목에 해당하는 향정신성의약품은 다음의 것과 그 염 및 이성체 또는 이성체의 염으로 한다.


The psychotropic drugs corresponding to Article 2, Paragraph 3, Subparagraph (da) are as follows, including their salts and isomers (including stereoisomers):

구 분	품명	화학명 또는 구조식
1	알로바르비탈(Allobarbital)	5,5-diallyl-2,4,6(1H,3H,5H)-pyrimidinetrione
2	알페날(Alphenal)	5-allyl-4,6-dihydroxy-5-phenyl-2(5H)-pyrimidinone
3	아모바르비탈(Amobarbital)	5-ethyl-5-(3-methylbutyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
4	아프로바르비탈(Aprobarbital)	5-allyl-4,6-dihydroxy-5-isopropyl-2(5H)-pyrimidinone
5	바르비탈(Barbital)	5,5-diethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
6	브랄로바르비탈(Brallobarbital)	5-allyl-5-(2-bromo-2-propen-1-yl)-2,4,6(1H,3H,5H)-pyrimidinetrione
7	섹부타바르비탈(Secbutabarbital)	5-sec-butyl-5-ethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
8	부탈비탈(Butalbital)	5-allyl-4,6-dihydroxy-5-isobutyl-2(5H)-pyrimidinone
9	부탈리로날(Butallylonal)	5-(2-bromo-2-propen-1-yl)-5-sec-butyl-2,4,6(1H,3H,5H)-pyrimidinetrione
10	부토바르비탈(Butobarbital)	5-butyl-5-ethyl-4,6-dihydroxy-2(5H)-pyrimidinone
11	시클로바르비탈(Cyclobarbital)	5-(1-cyclohexen-1-yl)-5-ethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
12	시클로펜토바르비탈 (Cyclopentobarbital)	5-allyl-5-(2-cyclopenten-1-yl)-2,4,6(1H,3H,5H)-pyrimidinetrione
13	엔알릴프로피말(Enallylpromal)	5-allyl-5-isopropyl-1-methyl-2,4,6(1H,3H,5H)-pyrimidinetrione
14	에트알로바르비탈(Ethallobarbital)	5-allyl-5-ethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
15	헵타바르비탈(Heptabarbital)	5-(1-cyclohepten-1-yl)-5-ethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
16	헵토바르비탈(Heptobarbital)	4,6-dihydroxy-5-methyl-5-phenyl-2(5H)-pyrimidinone

17	헥세탈(Hexethal)	5-ethyl-5-hexyl-2,4,6(1H,3H,5H)-pyrimidinetrione
18	헥소바르비탈(Hexobarbital)	5-(1-cyclohexen-1-yl)-1,5-dimethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
19	메타아르비탈(Metharbital)	5,5-diethyl-1-methyl-2,4,6(1H,3H,5H)-pyrimidinetrione
20	메토헥시탈(Methohexital)	5-allyl-5-(3-hexyn-2-yl)-1-methyl-2,4,6(1H,3H,5H)-pyrimidinetrione
21	메틸페노바르비탈(Methylphenobarbital)	5-ethyl-1-methyl-5-phenyl-2,4,6(1H,3H,5H)-pyrimidinetrione
22	나르코바르비탈(Narcobarbital)	5-(2-bromo-2-propen-1-yl)-5-isopropyl-1-methyl-2,4,6(1H,3H,5H)-pyrimidinetrione
23	네알바르비탈(Nealbarbital)	5-allyl-5-(2,2-dimethylpropyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
24	펜토바르비탈(Pentobarbital)	5-ethyl-5-(2-pentanyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
25	페노바르비탈(Phenobarbital)	5-ethyl-5-phenyl-2,4,6(1H,3H,5H)-pyrimidinetrione
26	페타르비탈(Phetharbital)	5,5-diethyl-1-phenyl-2,4,6(1H,3H,5H)-pyrimidinetrione
27	프로바르비탈(Probarbital)	5-ethyl-4,6-dihydroxy-5-isopropyl-2(5H)-pyrimidinone
28	프로팔리로날(Propallylonal)	5-(2-bromo-2-propen-1-yl)-5-isopropyl-2,4,6(1H,3H,5H)-pyrimidinetrione
29	프로필바르비탈(Propylbarbital)	5,5-dipropyl-2,4,6(1H,3H,5H)-pyrimidinetrione
30	스피로티오바르비탈(Spirothiobarbital)	1-ethyl-2,4-dimethyl-8-thioxo-7,9-diazaspiro[4.5]decane-6,10-dione
31	테트라바르비탈(Tetrabarbital)	5-ethyl-5-(3-hexanyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
32	티오펜탈(Thiopental)	5-ethyl-5-(2-pentanyl)-2-thioxodihydro-4,6(1H,5H)-pyrimidinedione
33	빈바르비탈(Vinbarbital)	5-ethyl-5-[(2E)-2-penten-2-yl]-2,4,6(1H,3H,5H)-pyrimidinetrione

34	바로탈룸(Barotalum)	5-[(2E)-2-buten-1-yl]-5-ethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
35	디베랄(Diberal)	5-ethyl-5-(4-methyl-2-pentanyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
36	도르모비트(Dormovit)	5-(2-furylmethyl)-5-isopropyl-2,4,6(1H,3H,5H)-pyrimidinetrione
37	이도부탈(Idobutal)	5-allyl-5-butyl-2,4,6(1H,3H,5H)-pyrimidinetrione
38	레포살(Reposal)	5-(bicyclo[3.2.1]oct-2-en-3-yl)-5-ethyl-2,4,6(1H,3H,5H)-pyrimidinetrione
39	비닐비탈(Vinylbital)	5-(2-pentanyl)-5-vinyl-2,4,6(1H,3H,5H)-pyrimidinetrione
40	카르부바르비탈(Carbubarbital)	2-(5-butyl-2,4,6-trioxohexahydro-5-pyrimidinyl)ethyl carbamate
41	시그모달(Sigmodal)	5-(2-bromo-2-propen-1-yl)-5-(2-pentanyl)-2,4,6(1H,3H,5H)-pyrimidinetrione
42	엘도랄(Eldoral)	5-ethyl-5-(1-piperidiny)-2,4,6(1H,3H,5H)-pyrimidinetrione
43	티아미랄(Thiamylal)	5-allyl-5-(2-pentanyl)-2-thioxodihydro-4,6(1H,5H)-pyrimidinedione
44	클로르헥사돌(Chlorhexadol)	2-methyl-4-(2,2,2-trichloro-1-hydroxyethoxy)-2-pentanol
45	글루테티미드(Glutethimide)	3-ethyl-3-phenyl-2,6-piperidinedione
46	리저직산(Lysergic acid)	(8β)-6-methyl-9,10-didehydroergoline-8-carboxylic acid
47	리저직산 아미드(Lysergic acid amide)	(8β)-6-methyl-9,10-didehydroergoline-8-carboxamide
48	메프로바메이트(Meprobamate)	2-[(carbamoyloxy)methyl]-2-methylpentyl carbamate
49	메티프릴론(Methyprylon)	3,3-diethyl-5-methyl-2,4-piperidinedione
50	설펜디에틸메탄(Sulfondiethylmethane)	3,3-bis(ethylsulfonyl)pentane
51	설펜에틸메탄(Sulfonethylmethane)	2,2-bis(ethylsulfonyl)butane
52	설펜메탄(Sulfonmethane)	2,2-bis(ethylsulfonyl)propane

53	펜타조신(Pentazocine)	(1R,9R,13R)-1,13-dimethyl-10-(3-methyl-2-buten-1-yl)-10-azatricyclo[7.3.1.02,7]trideca-2,4,6-trien-4-ol				
54	알릴이소프로필아세틸우레아 (Allylisopropylacetylurea, apronalide)	N-carbamoyl-2-isopropyl-4-pentenamide				
55	브롬디에틸아세틸우레아 (Bromdiethylacetylurea, carbromal)	(1Z)-2-bromo-2-ethyl-N-[hydroxy(imino)methyl]butanimidic acid				
56	브롬바레틸우레아 (Bromvalerylurea, bromisoval)	2-bromo-N-carbamoyl-3-methylbutanamide				
57	부프레노르핀(Buprenorphine)	(5α,6β,14β,18R)-17-(cyclopropylmethyl)-18-[(2S)-2-hydroxy-3,3-dimethyl-2-butenyl]-6-methoxy-18,19-dihydro-4,5-epoxy-6,14-ethenomorphinan-3-ol				
58	에프타조신(Eptazocine)	1,11-dimethyl-11-azatricyclo[7.4.1.02,7]tetradeca-2,4,6-trien-4-ol				
59	플루니트라제팜(Flunitrazepam)	5-(2-fluorophenyl)-1-methyl-7-nitro-1,3-dihydro-2H-1,4-benzodiazepin-2-one				
60	5, 5'- 바르비탈산 유도체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 것은 제외한다.	Barbituric acid: 2,4,6(1H,3H,5H)-pyrimidinetrione 아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1, R2: 결합 가능한 작용기(H 제외) </td></tr></table>	기본구조	R		○ R1, R2: 결합 가능한 작용기(H 제외)
기본구조	R					
	○ R1, R2: 결합 가능한 작용기(H 제외)					
61	5, 5'- 티오바르비탈산 유도체. 다만, 별표 1부터 별표 6까지, 별표 7의2 및 별표 8에서 별도로 규정한 것은 제외한다.	Thiobarbituric acid: 2-thioxodihydro-4,6(1H,5H)-pyrimidinedione 아래의 기본구조를 가지고, R 위치에 다음의 작용기를 가지는 물질 <table><tr><th>기본구조</th><th>R</th></tr><tr><td></td><td> ○ R1, R2: 결합 가능한 작용기(H 제외) </td></tr></table>	기본구조	R		○ R1, R2: 결합 가능한 작용기(H 제외)
기본구조	R					
	○ R1, R2: 결합 가능한 작용기(H 제외)					

			용기 (H 제외)
--	--	--	-----------

■ 마약류 관리에 관한 법률 시행령 [별표 6] <개정 2022. 12. 9.>

■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 6] <Revised on December 9, 2022>

법 제2조제3호라목에 해당하는 향정신성의약품(제2조제3항 관련)

Psychoactive drugs listed in the subparagraph (a) of Article 2, paragraph (3)

법 제2조제3호라목에 해당하는 향정신성의약품은 다음의 것과 그 염 및 이성체 또는 이성체의 염으로 한다.

The psychotropic drugs corresponding to Article 2, Paragraph 3, Subparagraph (la) are as follows, including their salts and isomers (including stereoisomers):

구 분	품명(Name)	화학명 또는 구조식 (Chemical Name or Structural Formula)
1	알프라졸람(Alprazolam)	8-chloro-1-methyl-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine
2	암페프라몬(Amfepramone)	2-(diethylamino)-1-phenyl-1-propanone
3	브로마제팜(Bromazepam)	7-bromo-5-(2-pyridinyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
4	브로티졸람(Brotizolam)	2-bromo-4-(2-chlorophenyl)-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine
5	부토르파놀(Butorphanol)	17-(cyclobutylmethyl)morphinan-3,14-diol
6	카마제팜(Camazepam)	7-chloro-1-methyl-2-oxo-5-phenyl-2,3-dihydro-1H-1,4-benzodiazepin-3-yl dimethylcarbamate
7	카틴(Cathine)	(1S,2S)-2-amino-1-phenyl-1-propanol
8	클로랄베타인(Chloral betaine)	(trimethylammonio)acetate - 2,2,2-trichloro-1,1-ethanediol (1:1)
9	클로랄히드레이트(Chloral hydrate)	2,2,2-trichloro-1,1-ethanediol
10	클로르디아제폭시드 (Chlordiazepoxide)	(2Z)-7-chloro-N-methyl-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-imine 4-oxide

11	클로바잠(Clobazam)	7-chloro-1-methyl-5-phenyl-1H-1,5-benzodiazepine-2,4(3H,5H)-dione
12	클로나제팜(Clonazepam)	5-(2-chlorophenyl)-7-nitro-1,3-dihydro-2H-1,4-benzodiazepin-2-one
13	클로라제페이트(Clorazepate)	7-chloro-2-oxo-5-phenyl-2,3-dihydro-1H-1,4-benzodiazepine-3-carboxylic acid
14	클로티아제팜(Clotiazepam)	5-(2-chlorophenyl)-7-ethyl-1-methyl-1,3-dihydro-2H-thieno[2,3-e][1,4]diazepin-2-one
15	클록사졸람(Cloxazolam)	10-chloro-11b-(2-chlorophenyl)-2,3,7,11b-tetrahydro[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one
16	델로라제팜(Delorazepam)	7-chloro-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
17	디아제팜(Diazepam)	7-chloro-1-methyl-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
18	에스타졸람(Estazolam)	8-chloro-6-phenyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine
19	에트클로르비놀(Ethchlorvinol)	(1E)-1-chloro-3-ethyl-1-penten-4-yn-3-ol
20	에티나메이트(Ethinamate)	1-ethynylcyclohexyl carbamate
21	에틸로플라제페이트 (Ethyl Loflazepate)	ethyl 7-chloro-5-(2-fluorophenyl)-2-oxo-2,3-dihydro-1H-1,4-benzodiazepine-3-carboxylate
22	에티졸람(Etizolam)	4-(2-chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3-a][1,4]diazepine
23	펜플루라민(Fenfluramine)	N-ethyl-1-[3-(trifluoromethyl)phenyl]-2-propanamine
24	플루디아제팜(Fludiazepam)	7-chloro-5-(2-fluorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one

25	플루라제팜(Flurazepam)	7-chloro-1-[2-(diethylamino)ethyl]-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
26	할라제팜(Halazepam)	7-chloro-5-phenyl-1-(2,2,2-trifluoroethyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
27	할록사졸람(Haloxazolam)	10-bromo-11b-(2-fluorophenyl)-2,3,7,11b-tetrahydro[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one
28	케타졸람(Ketazolam)	11-chloro-2,8-dimethyl-12b-phenyl-8,12b-dihydro-4H-[1,3]oxazino[3,2-d][1,4]benzodiazepine-4,7(6H)-dione
29	레페타민(Lefetamine)	(1R)-N,N-dimethyl-1,2-diphenylethanimine
30	로프라졸람(Loprazolam)	(2Z)-6-(2-chlorophenyl)-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro-2,4-dihydro-1H-imidazo[1,2-a][1,4]benzodiazepin-1-one
31	로라제팜(Lorazepam)	7-chloro-5-(2-chlorophenyl)-3-hydroxy-1,3-dihydro-2H-1,4-benzodiazepin-2-one
32	로르메타제팜(Lormetazepam)	7-chloro-5-(2-chlorophenyl)-3-hydroxy-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
33	마진돌(Mazindol)	5-(4-chlorophenyl)-2,5-dihydro-3H-imidazo[2,1-a]isoindol-5-ol
34	메다제팜(Medazepam)	7-chloro-1-methyl-5-phenyl-2,3-dihydro-1H-1,4-benzodiazepine
35	메페노렉스(Mefenorex)	3-chloro-N-(1-phenyl-2-propanyl)-1-propanamine
36	미다졸람(Midazolam)	8-chloro-6-(2-fluorophenyl)-1-methyl-4H-imidazo[1,5-a][1,4]benzodiazepine

37	니메타제팜(Nimetazepam)	1-methyl-7-nitro-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
38	니트라제팜(Nitrazepam)	7-nitro-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
39	노르다제팜(Nordazepam)	7-chloro-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
40	옥사제팜(Oxazepam)	7-chloro-3-hydroxy-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
41	옥사졸람(Oxazolam)	10-chloro-2-methyl-11b-phenyl-2,3,7,11b-tetrahydro[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one
42	옥시페르틴(Oxypertine)	5,6-dimethoxy-2-methyl-3-[2-(4-phenyl-1-piperazinyl)ethyl]-1H-indole
43	파라알데히드(Paraldehyde)	2,4,6-trimethyl-1,3,5-trioxane
44	페몰린(Pemoline)	2-amino-5-phenyl-1,3-oxazol-4(5H)-one
45	페트리클로랄(Petrichloral)	2,2,2-trichloro-1-{3-(2,2,2-trichloro-1-hydroxyethoxy)-2,2-bis[(2,2,2-trichloro-1-hydroxyethoxy)methyl]propoxy}ethanol
46	펜디메트라진(Phendimetrazine)	3,4-dimethyl-2-phenylmorpholine
47	펜터민(Phentermine)	2-methyl-1-phenyl-2-propanamine
48	피나제팜(Pinazepam)	7-chloro-5-phenyl-1-(2-propyn-1-yl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
49	피프라드롤(알파 또는 감마) [Pipradrol(α , γ)]	diphenyl(2-piperidiny)methanol
50	프라제팜(Prazepam)	7-chloro-1-(cyclopropylmethyl)-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
51	프로필헥세드린(Propylhexedrine)	1-cyclohexyl-N-methyl-2-propanamine
52	피리틸디온(Pyrimethidione)	3,3-diethyl-2,4(1H,3H)-pyridinedione

53	피로발레론(Pyrovalerone)	1-(4-methylphenyl)-2-(1-pyrrolidinyl)-1-pentanone
54	테마제팜(Temazepam)	7-chloro-3-hydroxy-1-methyl-5-phenyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
55	테트라제팜(Tetrazepam)	7-chloro-5-(1-cyclohexen-1-yl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
56	트리아졸람(Triazolam)	8-chloro-6-(2-chlorophenyl)-1-methyl-4H-[1,2,4]triazolo[4,3-a][1,4]benzodiazepine
57	조피클론(Zopiclone)	6-(5-chloro-2-pyridinyl)-7-oxo-6,7-dihydro-5H-pyrrolo[3,4-b]pyrazin-5-yl 4-methyl-1-piperazinecarboxylate
58	플루토프라제팜(Flutoprazepam)	7-chloro-1-(cyclopropylmethyl)-5-(2-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
59	멕사졸람(Mexazolam)	10-chloro-11b-(2-chlorophenyl)-3-methyl-2,3,7,11b-tetrahydro[1,3]oxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one
60	졸피뎀(Zolpidem)	N,N-dimethyl-2-[6-methyl-2-(4-methylphenyl)imidazo[1,2-a]pyridin-3-yl]acetamide
61	아미노렉스(Aminorex)	5-phenyl-4,5-dihydro-1,3-oxazol-2-amine
62	메소카브(Mesocarb)	5-[(phenylcarbamoyl)imino]-3-(1-phenyl-2-propanyl)-5H-1,2,3-oxadiazol-3-ium-2-ide
63	날부핀(Nalbuphine)	(5a,6a)-17-(cyclobutylmethyl)-4,5-epoxymorphinan-3,6,14-triol
64	지에이치비(GHB)	4-hydroxybutanoic acid
65	텍스트로메토르판	(9a,13a,14a)-3-methoxy-17-methylmor

	(Dextromethorphan)	phinan
66	카리소프로돌(Carisoprodol)	2-[(carbamoyloxy)methyl]-2-methylpentyl isopropylcarbamate
67	쿠아제팜(Quazepam)	7-chloro-5-(2-fluorophenyl)-1-(2,2,2-trifluoroethyl)-1,3-dihydro-2H-1,4-benzodiazepine-2-thione
68	프로포폴(Propofol)	2,6-diisopropylphenol
69	로카세린(Lorcaserin)	(1R)-8-chloro-1-methyl-2,3,4,5-tetrahydro-1H-3-benzazepine
70	페나제팜(Phenazepam)	7-Bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
71	레미마졸람(Remimazolam)	Methyl 3-[(4S)-8-bromo-1-methyl-6-pyridin-2-yl-4H-imidazo[1,2-a][1,4]benzodiazepin-4-yl]propanoate
72	페니부트 (Phenibut)	4-amino-3-phenylbutanoic acid
73	디클라제팜 (Diclazepam)	7-chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-1,4-benzodiazepin-2-one
74	잘레플론 (Zaleplon)	N-[3-(3-cyanopyrazolo[1,5-a]pyrimidin-7-yl)phenyl]-N-ethylacetamide
75	수보렉산트 (Suvorexant)	[(7R)-4-(5-chloro-1,3-benzoxazol-2-yl)-7-methyl-1,4-diazepin-1-yl]-[5-methyl-2-(triazol-2-yl)phenyl]methadone
76	디날부핀 세바케이트 (Dinalbuphine sebacate)	bis[(4R,4aS,7S,7aR,12bS)-3-(cyclobutylmethyl)4a,7-dihydroxy-1,2,4,5,6,7,7a,13-octahydro-4,12-methanobenzofuro[3,2-e]isoquinolin-9-yl] decanedioate

■ 마약류 관리에 관한 법률 시행령 [별표 7] <개정 2013.3.23.>

■ Enforcement Decree of the Act on the Management of Narcotics, etc. [Annex 7] <Revised on March 23, 2013>

법 제2조제3호마목에 해당하는 항정신성의약품 (제2조제3항 관련)

별표 3부터 별표 6까지에서 열거한 것을 함유하는 혼합물질 또는 혼합제제. 다만, 법 제2조제3호마목 단서에 따라 총리령으로 정하는 것은 제외한다.